

CY 2014-2015 Change in Radonc RVU Components, Non-Facility Setting

CPT/ HCPCS	Mod	Description	2014 MD	2015 MD	2014-15 Change	2014-15 %	2014 Non-	2015 Non-	2014-15 Change	2014-15 %	2014	2015	2014-15 Change	2014-15 %	Total 2014	Total 2015	2014-15	2014-15	CPT/ HCPCS	Mod
			Work RVUs	Work RVUs			facility PE RVUs	facility PE RVUs			Malpractice RVUs	Malpractice RVUs			Change	%				
0182T		Hdr elect brachytherapy	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0182T	
31575		Diagnostic laryngoscopy	1.10	1.10	0.00	0.0%	2.03	2.00	-0.03	-1.5%	0.11	0.15	0.04	36.4%	3.24	3.25	0.01	0.3%	31575	
55875		Transperi needle place pros	13.46	13.46	0.00	0.0%	6.94	7.05	0.11	1.6%	1.23	1.35	0.12	9.8%	21.63	21.86	0.23	1.1%	55875	
55876		Place rt device/marker pros	1.73	1.73	0.00	0.0%	1.91	1.95	0.04	2.1%	0.15	0.18	0.03	20.0%	3.79	3.86	0.07	1.8%	55876	
76873		Echograp trans r pros study	1.55	1.55	0.00	0.0%	3.21	3.12	-0.09	-2.8%	0.09	0.06	-0.03	-33.3%	4.85	4.73	-0.12	-2.5%	76873	
76873	TC	Echograp trans r pros study	0.00	0.00	0.00	#DIV/0!	2.62	2.51	-0.11	-4.2%	0.01	0.01	0.00	0.0%	2.63	2.52	-0.11	-4.2%	76873	TC
76873	26	Echograp trans r pros study	1.55	1.55	0.00	0.0%	0.59	0.61	0.02	3.4%	0.08	0.05	-0.03	-37.5%	2.22	2.21	-0.01	-0.5%	76873	26
76942		Echo guide for biopsy	0.67	0.67	0.00	0.0%	1.35	0.98	-0.37	-27.4%	0.05	0.06	0.01	20.0%	2.07	1.71	-0.36	-17.4%	76942	
76942	TC	Echo guide for biopsy	0.00	0.00	0.00	#DIV/0!	1.11	0.73	-0.38	-34.2%	0.01	0.01	0.00	0.0%	1.12	0.74	-0.38	-33.9%	76942	TC
76942	26	Echo guide for biopsy	0.67	0.67	0.00	0.0%	0.24	0.25	0.01	4.2%	0.04	0.05	0.01	25.0%	0.95	0.97	0.02	2.1%	76942	26
76950		Echo guidance radiotherapy	0.58	0.58	0.00	0.0%	0.82	0.86	0.04	4.9%	0.04	0.04	0.00	0.0%	1.44	1.48	0.04	2.8%	76950	
76950	TC	Echo guidance radiotherapy	0.00	0.00	0.00	#DIV/0!	0.59	0.61	0.02	3.4%	0.01	0.01	0.00	0.0%	0.60	0.62	0.02	3.3%	76950	TC
76950	26	Echo guidance radiotherapy	0.58	0.58	0.00	0.0%	0.23	0.25	0.02	8.7%	0.03	0.03	0.00	0.0%	0.84	0.86	0.02	2.4%	76950	26
77014		Ct scan for therapy guide	0.85	0.85	0.00	0.0%	2.56	2.43	-0.13	-5.1%	0.05	0.05	0.00	0.0%	3.46	3.33	-0.13	-3.8%	77014	
77014	TC	Ct scan for therapy guide	0.00	0.00	0.00	#DIV/0!	2.22	2.07	-0.15	-6.8%	0.01	0.01	0.00	0.0%	2.23	2.08	-0.15	-6.7%	77014	TC
77014	26	Ct scan for therapy guide	0.85	0.85	0.00	0.0%	0.34	0.36	0.02	5.9%	0.04	0.04	0.00	0.0%	1.23	1.25	0.02	1.6%	77014	26
77261		Radiation therapy planning	1.39	1.39	0.00	0.0%	0.61	0.66	0.05	8.2%	0.10	0.09	-0.01	-10.0%	2.10	2.14	0.04	1.9%	77261	
77262		Radiation therapy planning	2.11	2.11	0.00	0.0%	0.87	0.94	0.07	8.0%	0.17	0.14	-0.03	-17.6%	3.15	3.19	0.04	1.3%	77262	
77263		Radiation therapy planning	3.14	3.14	0.00	0.0%	1.26	1.33	0.07	5.6%	0.25	0.24	-0.01	-4.0%	4.65	4.71	0.06	1.3%	77263	
77280		Set radiation therapy field	0.70	0.70	0.00	0.0%	6.84	6.98	0.14	2.0%	0.04	0.04	0.00	0.0%	7.58	7.72	0.14	1.8%	77280	
77280	TC	Set radiation therapy field	0.00	0.00	0.00	#DIV/0!	6.56	6.68	0.12	1.8%	0.01	0.01	0.00	0.0%	6.57	6.69	0.12	1.8%	77280	TC
77280	26	Set radiation therapy field	0.70	0.70	0.00	0.0%	0.28	0.30	0.02	7.1%	0.03	0.03	0.00	0.0%	1.01	1.03	0.02	2.0%	77280	26
77285		Set radiation therapy field	1.05	1.05	0.00	0.0%	10.70	11.05	0.35	3.3%	0.06	0.05	-0.01	-16.7%	11.81	12.15	0.34	2.9%	77285	
77285	TC	Set radiation therapy field	0.00	0.00	0.00	#DIV/0!	10.28	10.60	0.32	3.1%	0.01	0.01	0.00	0.0%	10.29	10.61	0.32	3.1%	77285	TC
77285	26	Set radiation therapy field	1.05	1.05	0.00	0.0%	0.42	0.45	0.03	7.1%	0.05	0.04	-0.01	-20.0%	1.52	1.54	0.02	1.3%	77285	26
77290		Set radiation therapy field	1.56	1.56	0.00	0.0%	12.52	12.90	0.38	3.0%	0.08	0.08	0.00	0.0%	14.16	14.54	0.38	2.7%	77290	
77290	TC	Set radiation therapy field	0.00	0.00	0.00	#DIV/0!	11.89	12.23	0.34	2.9%	0.01	0.01	0.00	0.0%	11.90	12.24	0.34	2.9%	77290	TC
77290	26	Set radiation therapy field	1.56	1.56	0.00	0.0%	0.63	0.67	0.04	6.3%	0.07	0.07	0.00	0.0%	2.26	2.30	0.04	1.8%	77290	26
77293		Respirator motion mgmt simul	2.00	2.00	0.00	0.0%	9.96	11.09	1.13	11.3%	0.11	0.11	0.00	0.0%	12.07	13.20	1.13	9.4%	77293	
77293	TC	Respirator motion mgmt simul	0.00	0.00	0.00	#DIV/0!	9.16	10.24	1.08	11.8%	0.01	0.02	0.01	100.0%	9.17	10.26	1.09	11.9%	77293	TC
77293	26	Respirator motion mgmt simul	2.00	2.00	0.00	0.0%	0.80	0.85	0.05	6.2%	0.10	0.09	-0.01	-10.0%	2.90	2.94	0.04	1.4%	77293	26
77295		Set radiation therapy field	4.29	4.29	0.00	0.0%	9.00	9.38	0.38	4.2%	0.25	0.25	0.00	0.0%	13.54	13.92	0.38	2.8%	77295	
77295	TC	Set radiation therapy field	0.00	0.00	0.00	#DIV/0!	7.28	7.56	0.28	3.8%	0.04	0.05	0.01	25.0%	7.32	7.61	0.29	4.0%	77295	TC
77295	26	Set radiation therapy field	4.29	4.29	0.00	0.0%	1.72	1.82	0.10	5.8%	0.21	0.20	-0.01	-4.8%	6.22	6.31	0.09	1.4%	77295	26
77299		Radiation therapy planning	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77299	
77299	TC	Radiation therapy planning	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77299	TC
77299	26	Radiation therapy planning	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77299	26
77300		Radiation therapy dose plan	0.62	0.62	0.00	0.0%	1.22	1.27	0.05	4.1%	0.04	0.04	0.00	0.0%	1.88	1.93	0.05	2.7%	77300	
77300	TC	Radiation therapy dose plan	0.00	0.00	0.00	#DIV/0!	0.97	1.01	0.04	4.1%	0.01	0.01	0.00	0.0%	0.98	1.02	0.04	4.1%	77300	TC
77300	26	Radiation therapy dose plan	0.62	0.62	0.00	0.0%	0.25	0.26	0.01	4.0%	0.03	0.03	0.00	0.0%	0.90	0.91	0.01	1.1%	77300	26
77301		Radiotherapy dose plan imrt	7.99	7.99	0.00	0.0%	46.12	46.66	0.54	1.2%	0.60	0.59	-0.01	-1.7%	54.71	55.24	0.53	1.0%	77301	
77301	TC	Radiotherapy dose plan imrt	0.00	0.00	0.00	#DIV/0!	42.92	43.27	0.35	0.8%	0.21	0.24	0.03	14.3%	43.13	43.51	0.38	0.9%	77301	TC
77301	26	Radiotherapy dose plan imrt	7.99	7.99	0.00	0.0%	3.20	3.39	0.19	5.9%	0.39	0.35	-0.04	-10.3%	11.58	11.73	0.15	1.3%	77301	26
77305		Teletx isodose plan simple	0.70	0.70	0.00	0.0%	0.93	0.97	0.04	4.3%	0.04	0.04	0.00	0.0%	1.67	1.71	0.04	2.4%	77305	
77305	TC	Teletx isodose plan simple	0.00	0.00	0.00	#DIV/0!	0.65	0.67	0.02	3.1%	0.01	0.01	0.00	0.0%	0.66	0.68	0.02	3.0%	77305	TC
77305	26	Teletx isodose plan simple	0.70	0.70	0.00	0.0%	0.28	0.30	0.02	7.1%	0.03	0.03	0.00	0.0%	1.01	1.03	0.02	2.0%	77305	26
77310		Teletx isodose plan intermed	1.05	1.05	0.00	0.0%	1.30	1.36	0.06	4.6%	0.06	0.06	0.00	0.0%	2.41	2.47	0.06	2.5%	77310	
77310	TC	Teletx isodose plan intermed	0.00	0.00	0.00	#DIV/0!	0.88	0.91	0.03	3.4%	0.01	0.01	0.00	0.0%	0.89	0.92	0.03	3.4%	77310	TC
77310	26	Teletx isodose plan intermed	1.05	1.05	0.00	0.0%	0.42	0.45	0.03	7.1%	0.05	0.05	0.00	0.0%	1.52	1.55	0.03	2.0%	77310	26
77315		Teletx isodose plan complex	1.56	1.56	0.00	0.0%	2.16	2.25	0.09	4.2%	0.08	0.08	0.00	0.0%	3.80	3.89	0.09	2.4%	77315	
77315	TC	Teletx isodose plan complex	0.00	0.00	0.00	#DIV/0!	1.53	1.59	0.06	3.9%	0.01	0.01	0.00	0.0%	1.54	1.60	0.06	3.9%	77315	TC
77315	26	Teletx isodose plan complex	1.56	1.56	0.00	0.0%	0.63	0.66	0.03	4.8%	0.07	0.07	0.00	0.0%	2.26	2.29	0.03	1.3%	77315	26
77321		Special teletx port plan	0.95	0.95	0.00	0.0%	1.56	1.62	0.06	3.8%	0.05	0.05	0.00	0.0%	2.56	2.62	0.06	2.3%	77321	
77321	TC	Special teletx port plan	0.00	0.00	0.00	#DIV/0!	1.18	1.22	0.04	3.4%	0.01	0.01	0.00	0.0%	1.19	1.23	0.04	3.4%	77321	TC
77321	26	Special teletx port plan	0.95	0.95	0.00	0.0%	0.38	0.40	0.02	5.3%	0.04	0.04	0.00	0.0%	1.37	1.39	0.02	1.5%	77321	26

CY 2014-2015 Change in Radonc RVU Components, Non-Facility Setting

77326		Brachytx isodose calc simp	0.93	0.93	0.00	0.0%	3.05	3.21	0.16	5.2%	0.07	0.07	0.00	0.0%	4.05	4.21	0.16	4.0%	77326	
77326	TC	Brachytx isodose calc simp	0.00	0.00	0.00	#DIV/0!	2.68	2.81	0.13	4.9%	0.03	0.03	0.00	0.0%	2.71	2.84	0.13	4.8%	77326	TC
77326	26	Brachytx isodose calc simp	0.93	0.93	0.00	0.0%	0.37	0.40	0.03	8.1%	0.04	0.04	0.00	0.0%	1.34	1.37	0.03	2.2%	77326	26
77327		Brachytx isodose calc interm	1.39	1.39	0.00	0.0%	4.20	4.40	0.20	4.8%	0.10	0.10	0.00	0.0%	5.69	5.89	0.20	3.5%	77327	
77327	TC	Brachytx isodose calc interm	0.00	0.00	0.00	#DIV/0!	3.64	3.81	0.17	4.7%	0.03	0.04	0.01	33.3%	3.67	3.85	0.18	4.9%	77327	TC
77327	26	Brachytx isodose calc interm	1.39	1.39	0.00	0.0%	0.56	0.59	0.03	5.4%	0.07	0.06	-0.01	-14.3%	2.02	2.04	0.02	1.0%	77327	26
77328		Brachytx isodose plan compl	2.09	2.09	0.00	0.0%	5.38	5.65	0.27	5.0%	0.14	0.13	-0.01	-7.1%	7.61	7.87	0.26	3.4%	77328	
77328	TC	Brachytx isodose plan compl	0.00	0.00	0.00	#DIV/0!	4.54	4.76	0.22	4.8%	0.04	0.04	0.00	0.0%	4.58	4.80	0.22	4.8%	77328	TC
77328	26	Brachytx isodose plan compl	2.09	2.09	0.00	0.0%	0.84	0.89	0.05	6.0%	0.10	0.09	-0.01	-10.0%	3.03	3.07	0.04	1.3%	77328	26
77331		Special radiation dosimetry	0.87	0.87	0.00	0.0%	0.86	0.90	0.04	4.7%	0.05	0.05	0.00	0.0%	1.78	1.82	0.04	2.2%	77331	
77331	TC	Special radiation dosimetry	0.00	0.00	0.00	#DIV/0!	0.51	0.53	0.02	3.9%	0.01	0.01	0.00	0.0%	0.52	0.54	0.02	3.8%	77331	TC
77331	26	Special radiation dosimetry	0.87	0.87	0.00	0.0%	0.35	0.37	0.02	5.7%	0.04	0.04	0.00	0.0%	1.26	1.28	0.02	1.6%	77331	26
77332		Radiation treatment aid(s)	0.54	0.54	0.00	0.0%	1.67	1.77	0.10	6.0%	0.04	0.03	-0.01	-25.0%	2.25	2.34	0.09	4.0%	77332	
77332	TC	Radiation treatment aid(s)	0.00	0.00	0.00	#DIV/0!	1.45	1.53	0.08	5.5%	0.01	0.01	0.00	0.0%	1.46	1.54	0.08	5.5%	77332	TC
77332	26	Radiation treatment aid(s)	0.54	0.54	0.00	0.0%	0.22	0.24	0.02	9.1%	0.03	0.02	-0.01	-33.3%	0.79	0.80	0.01	1.3%	77332	26
77333		Radiation treatment aid(s)	0.84	0.84	0.00	0.0%	0.59	0.62	0.03	5.1%	0.05	0.05	0.00	0.0%	1.48	1.51	0.03	2.0%	77333	
77333	TC	Radiation treatment aid(s)	0.00	0.00	0.00	#DIV/0!	0.25	0.26	0.01	4.0%	0.01	0.01	0.00	0.0%	0.26	0.27	0.01	3.8%	77333	TC
77333	26	Radiation treatment aid(s)	0.84	0.84	0.00	0.0%	0.34	0.36	0.02	5.9%	0.04	0.04	0.00	0.0%	1.22	1.24	0.02	1.6%	77333	26
77334		Radiation treatment aid(s)	1.24	1.24	0.00	0.0%	2.90	3.02	0.12	4.1%	0.06	0.06	0.00	0.0%	4.20	4.32	0.12	2.9%	77334	
77334	TC	Radiation treatment aid(s)	0.00	0.00	0.00	#DIV/0!	2.40	2.49	0.09	3.8%	0.01	0.01	0.00	0.0%	2.41	2.50	0.09	3.7%	77334	TC
77334	26	Radiation treatment aid(s)	1.24	1.24	0.00	0.0%	0.50	0.53	0.03	6.0%	0.05	0.05	0.00	0.0%	1.79	1.82	0.03	1.7%	77334	26
77336		Radiation physics consult	0.00	0.00	0.00	#DIV/0!	2.08	2.17	0.09	4.3%	0.01	0.03	0.02	200.0%	2.09	2.20	0.11	5.3%	77336	
77338		Design mlc device for imrt	4.29	4.29	0.00	0.0%	9.46	9.86	0.40	4.2%	0.26	0.26	0.00	0.0%	14.01	14.41	0.40	2.9%	77338	
77338	TC	Design mlc device for imrt	0.00	0.00	0.00	#DIV/0!	7.74	8.04	0.30	3.9%	0.04	0.06	0.02	50.0%	7.78	8.10	0.32	4.1%	77338	TC
77338	26	Design mlc device for imrt	4.29	4.29	0.00	0.0%	1.72	1.82	0.10	5.8%	0.22	0.20	-0.02	-9.1%	6.23	6.31	0.08	1.3%	77338	26
77370		Radiation physics consult	0.00	0.00	0.00	#DIV/0!	3.16	3.31	0.15	4.7%	0.04	0.05	0.01	25.0%	3.20	3.36	0.16	5.0%	77370	
77371		Srs multisource	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77371	
77372		Srs linear based	0.00	0.00	0.00	#DIV/0!	29.13	31.19	2.06	7.1%	0.05	0.06	0.01	20.0%	29.18	31.25	2.07	7.1%	77372	
77373		Sbrt delivery	0.00	0.00	0.00	#DIV/0!	34.87	32.87	-2.00	-5.7%	0.07	0.08	0.01	14.3%	34.94	32.95	-1.99	-5.7%	77373	
77399		External radiation dosimetry	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77399	
77399	TC	External radiation dosimetry	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77399	TC
77399	26	External radiation dosimetry	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77399	26
77401		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	0.55	0.56	0.01	1.8%	0.01	0.01	0.00	0.0%	0.56	0.57	0.01	1.8%	77401	
77402		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	3.90	3.82	-0.08	-2.1%	0.01	0.01	0.00	0.0%	3.91	3.83	-0.08	-2.0%	77402	
77403		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	3.45	3.02	-0.43	-12.5%	0.01	0.01	0.00	0.0%	3.46	3.03	-0.43	-12.4%	77403	
77404		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	3.85	3.45	-0.40	-10.4%	0.01	0.01	0.00	0.0%	3.86	3.46	-0.40	-10.4%	77404	
77406		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	3.83	3.43	-0.40	-10.4%	0.01	0.01	0.00	0.0%	3.84	3.44	-0.40	-10.4%	77406	
77407		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	7.09	5.99	-1.10	-15.5%	0.01	0.01	0.00	0.0%	7.10	6.00	-1.10	-15.5%	77407	
77408		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	4.75	4.18	-0.57	-12.0%	0.01	0.01	0.00	0.0%	4.76	4.19	-0.57	-12.0%	77408	
77409		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	5.28	4.72	-0.56	-10.6%	0.01	0.01	0.00	0.0%	5.29	4.73	-0.56	-10.6%	77409	
77411		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	5.25	4.72	-0.53	-10.1%	0.01	0.01	0.00	0.0%	5.26	4.73	-0.53	-10.1%	77411	
77412		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	6.73	6.53	-0.20	-3.0%	0.01	0.01	0.00	0.0%	6.74	6.54	-0.20	-3.0%	77412	
77413		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	6.25	5.49	-0.76	-12.2%	0.01	0.01	0.00	0.0%	6.26	5.50	-0.76	-12.1%	77413	
77414		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	7.04	6.30	-0.74	-10.5%	0.01	0.01	0.00	0.0%	7.05	6.31	-0.74	-10.5%	77414	
77416		Radiation treatment delivery	0.00	0.00	0.00	#DIV/0!	7.04	6.30	-0.74	-10.5%	0.01	0.01	0.00	0.0%	7.05	6.31	-0.74	-10.5%	77416	
77417		Radiology port film(s)	0.00	0.00	0.00	#DIV/0!	0.38	0.29	-0.09	-23.7%	0.01	0.01	0.00	0.0%	0.39	0.30	-0.09	-23.1%	77417	
77418		Radiation tx delivery imrt	0.00	0.00	0.00	#DIV/0!	11.02	9.84	-1.18	-10.7%	0.01	0.02	0.01	100.0%	11.03	9.86	-1.17	-10.6%	77418	
77421		Stereoscopic x-ray guidance	0.39	0.39	0.00	0.0%	1.66	1.72	0.06	3.6%	0.02	0.03	0.01	50.0%	2.07	2.14	0.07	3.4%	77421	
77421	TC	Stereoscopic x-ray guidance	0.00	0.00	0.00	#DIV/0!	1.50	1.55	0.05	3.3%	0.01	0.01	0.00	0.0%	1.51	1.56	0.05	3.3%	77421	TC
77421	26	Stereoscopic x-ray guidance	0.39	0.39	0.00	0.0%	0.16	0.17	0.01	6.3%	0.01	0.02	0.01	100.0%	0.56	0.58	0.02	3.6%	77421	26
77422		Neutron beam tx simple	0.00	0.00	0.00	#DIV/0!	1.16	0.94	-0.22	-19.0%	0.01	0.01	0.00	0.0%	1.17	0.95	-0.22	-18.8%	77422	
77423		Neutron beam tx complex	0.00	0.00	0.00	#DIV/0!	1.38	1.80	0.42	30.4%	0.01	0.02	0.01	100.0%	1.39	1.82	0.43	30.9%	77423	
77424		lo rad tx delivery by x-ray	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77424	
77425		lo rad tx deliver by elctrns	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77425	
77427		Radiation tx management x5	3.37	3.37	0.00	0.0%	1.57	1.66	0.09	5.7%	0.26	0.25	-0.01	-3.8%	5.20	5.28	0.08	1.5%	77427	
77431		Radiation therapy management	1.81	1.81	0.00	0.0%	0.91	0.95	0.04	4.4%	0.13	0.13	0.00	0.0%	2.85	2.89	0.04	1.4%	77431	
77432		Stereotactic radiation trmt	7.92	7.92	0.00	0.0%	3.17	3.36	0.19	6.0%	0.62	0.58	-0.04	-6.5%	11.71	11.86	0.15	1.3%	77432	
77435		Sbrt management	11.87	11.87	0.00	0.0%	4.87	5.16	0.29	6.0%	0.95	0.88	-0.07	-7.4%	17.69	17.91	0.22	1.2%	77435	
77469		lo radiation tx management	5.75	5.75	0.00	0.0%	2.55	2.95	0.40	15.7%	0.45	0.37	-0.08	-17.8%	8.75	9.07	0.32	3.7%	77469	
77470		Special radiation treatment	2.09	2.09	0.00	0.0%	2.13	2.23	0.10	4.7%	0.11	0.11	0.00	0.0%	4.33	4.43	0.10	2.3%	77470	

CY 2014-2015 Change in Radonc RVU Components, Non-Facility Setting

77470	TC	Special radiation treatment	0.00	0.00	0.00	#DIV/0!	1.29	1.34	0.05	3.9%	0.01	0.02	0.01	100.0%	1.30	1.36	0.06	4.6%	77470	TC
77470	26	Special radiation treatment	2.09	2.09	0.00	0.0%	0.84	0.89	0.05	6.0%	0.10	0.09	-0.01	-10.0%	3.03	3.07	0.04	1.3%	77470	26
77499		Radiation therapy management	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0	0.00	#DIV/0!	77499	
77499	TC	Radiation therapy management	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0	0.00	#DIV/0!	77499	TC
77499	26	Radiation therapy management	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0	0.00	#DIV/0!	77499	26
77520		Proton trmt simple w/o comp	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0	0.00	#DIV/0!	77520	
77522		Proton trmt simple w/comp	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0	0.00	#DIV/0!	77522	
77523		Proton trmt intermediate	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0	0.00	#DIV/0!	77523	
77525		Proton treatment complex	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0	0.00	#DIV/0!	77525	
77600		Hyperthermia treatment	1.56	1.56	0.00	0.0%	9.45	9.82	0.37	3.9%	0.10	0.11	0.01	10.0%	11.11	11.49	0.38	3.4%	77600	
77600	TC	Hyperthermia treatment	0.00	0.00	0.00	#DIV/0!	8.82	9.16	0.34	3.9%	0.03	0.04	0.01	33.3%	8.85	9.20	0.35	4.0%	77600	TC
77600	26	Hyperthermia treatment	1.56	1.56	0.00	0.0%	0.63	0.66	0.03	4.8%	0.07	0.07	0.00	0.0%	2.26	2.29	0.03	1.3%	77600	26
77605		Hyperthermia treatment	2.09	2.09	0.00	0.0%	17.69	19.38	1.69	9.6%	0.39	0.13	-0.26	-66.7%	20.17	21.60	1.43	7.1%	77605	
77605	TC	Hyperthermia treatment	0.00	0.00	0.00	#DIV/0!	16.87	18.53	1.66	9.8%	0.03	0.04	0.01	33.3%	16.90	18.57	1.67	9.9%	77605	TC
77605	26	Hyperthermia treatment	2.09	2.09	0.00	0.0%	0.82	0.85	0.03	3.7%	0.36	0.09	-0.27	-75.0%	3.27	3.03	-0.24	-7.3%	77605	26
77610		Hyperthermia treatment	1.56	1.56	0.00	0.0%	26.19	27.05	0.86	3.3%	0.10	0.11	0.01	10.0%	27.85	28.72	0.87	3.1%	77610	
77610	TC	Hyperthermia treatment	0.00	0.00	0.00	#DIV/0!	25.62	26.49	0.87	3.4%	0.03	0.04	0.01	33.3%	25.65	26.53	0.88	3.4%	77610	TC
77610	26	Hyperthermia treatment	1.56	1.56	0.00	0.0%	0.57	0.56	-0.01	-1.8%	0.07	0.07	0.00	0.0%	2.20	2.19	-0.01	-0.5%	77610	26
77615		Hyperthermia treatment	2.09	2.09	0.00	0.0%	25.60	26.59	0.99	3.9%	0.17	0.18	0.01	5.9%	27.86	28.86	1.00	3.6%	77615	
77615	TC	Hyperthermia treatment	0.00	0.00	0.00	#DIV/0!	24.76	25.70	0.94	3.8%	0.07	0.09	0.02	28.6%	24.83	25.79	0.96	3.9%	77615	TC
77615	26	Hyperthermia treatment	2.09	2.09	0.00	0.0%	0.84	0.89	0.05	6.0%	0.10	0.09	-0.01	-10.0%	3.03	3.07	0.04	1.3%	77615	26
77620		Hyperthermia treatment	1.56	1.56	0.00	0.0%	8.56	11.06	2.50	29.2%	0.08	0.35	0.27	337.5%	10.20	12.97	2.77	27.2%	77620	
77620	TC	Hyperthermia treatment	0.00	0.00	0.00	#DIV/0!	7.93	10.48	2.55	32.2%	0.04	0.04	0.00	0.0%	7.97	10.52	2.55	32.0%	77620	TC
77620	26	Hyperthermia treatment	1.56	1.56	0.00	0.0%	0.63	0.58	-0.05	-7.9%	0.04	0.31	0.27	675.0%	2.23	2.45	0.22	9.9%	77620	26
77750		Infuse radioactive materials	5.00	5.00	0.00	0.0%	5.02	5.28	0.26	5.2%	0.28	0.27	-0.01	-3.6%	10.30	10.55	0.25	2.4%	77750	
77750	TC	Infuse radioactive materials	0.00	0.00	0.00	#DIV/0!	3.03	3.16	0.13	4.3%	0.03	0.04	0.01	33.3%	3.06	3.20	0.14	4.6%	77750	TC
77750	26	Infuse radioactive materials	5.00	5.00	0.00	0.0%	1.99	2.12	0.13	6.5%	0.25	0.23	-0.02	-8.0%	7.24	7.35	0.11	1.5%	77750	26
77761		Apply intrcav radiat simple	3.85	3.85	0.00	0.0%	6.73	6.94	0.21	3.1%	0.23	0.23	0.00	0.0%	10.81	11.02	0.21	1.9%	77761	
77761	TC	Apply intrcav radiat simple	0.00	0.00	0.00	#DIV/0!	5.24	5.39	0.15	2.9%	0.04	0.05	0.01	25.0%	5.28	5.44	0.16	3.0%	77761	TC
77761	26	Apply intrcav radiat simple	3.85	3.85	0.00	0.0%	1.49	1.55	0.06	4.0%	0.19	0.18	-0.01	-5.3%	5.53	5.58	0.05	0.9%	77761	26
77762		Apply intrcav radiat interm	5.76	5.76	0.00	0.0%	8.21	8.57	0.36	4.4%	0.34	1.18	0.84	247.1%	14.31	15.51	1.20	8.4%	77762	
77762	TC	Apply intrcav radiat interm	0.00	0.00	0.00	#DIV/0!	5.94	6.22	0.28	4.7%	0.05	0.06	0.01	20.0%	5.99	6.28	0.29	4.8%	77762	TC
77762	26	Apply intrcav radiat interm	5.76	5.76	0.00	0.0%	2.27	2.35	0.08	3.5%	0.29	1.12	0.83	286.2%	8.32	9.23	0.91	10.9%	77762	26
77763		Apply intrcav radiat compl	8.66	8.66	0.00	0.0%	11.15	11.69	0.54	4.8%	0.49	0.46	-0.03	-6.1%	20.30	20.81	0.51	2.5%	77763	
77763	TC	Apply intrcav radiat compl	0.00	0.00	0.00	#DIV/0!	7.68	8.03	0.35	4.6%	0.07	0.08	0.01	14.3%	7.75	8.11	0.36	4.6%	77763	TC
77763	26	Apply intrcav radiat compl	8.66	8.66	0.00	0.0%	3.47	3.66	0.19	5.5%	0.42	0.38	-0.04	-9.5%	12.55	12.70	0.15	1.2%	77763	26
77776		Apply interstit radiat simpl	4.70	4.70	0.00	0.0%	7.09	8.09	1.00	14.1%	0.35	0.28	-0.07	-20.0%	12.14	13.07	0.93	7.7%	77776	
77776	TC	Apply interstit radiat simpl	0.00	0.00	0.00	#DIV/0!	5.21	6.33	1.12	21.5%	0.05	0.06	0.01	20.0%	5.26	6.39	1.13	21.5%	77776	TC
77776	26	Apply interstit radiat simpl	4.70	4.70	0.00	0.0%	1.88	1.76	-0.12	-6.4%	0.30	0.22	-0.08	-26.7%	6.88	6.68	-0.20	-2.9%	77776	26
77777		Apply interstit radiat inter	7.52	7.52	0.00	0.0%	8.34	8.74	0.40	4.8%	0.52	0.44	-0.08	-15.4%	16.38	16.70	0.32	2.0%	77777	
77777	TC	Apply interstit radiat inter	0.00	0.00	0.00	#DIV/0!	5.33	5.55	0.22	4.1%	0.05	0.06	0.01	20.0%	5.38	5.61	0.23	4.3%	77777	TC
77777	26	Apply interstit radiat inter	7.52	7.52	0.00	0.0%	3.01	3.19	0.18	6.0%	0.47	0.38	-0.09	-19.1%	11.00	11.09	0.09	0.8%	77777	26
77778		Apply interstit radiat compl	11.32	11.32	0.00	0.0%	12.36	12.92	0.56	4.5%	0.65	0.60	-0.05	-7.7%	24.33	24.84	0.51	2.1%	77778	
77778	TC	Apply interstit radiat compl	0.00	0.00	0.00	#DIV/0!	7.87	8.16	0.29	3.7%	0.08	0.09	0.01	12.5%	7.95	8.25	0.30	3.8%	77778	TC
77778	26	Apply interstit radiat compl	11.32	11.32	0.00	0.0%	4.49	4.76	0.27	6.0%	0.57	0.51	-0.06	-10.5%	16.38	16.59	0.21	1.3%	77778	26
77785		Hdr brachytx 1 channel	1.42	1.42	0.00	0.0%	5.11	5.31	0.20	3.9%	0.10	0.09	-0.01	-10.0%	6.63	6.82	0.19	2.9%	77785	
77785	TC	Hdr brachytx 1 channel	0.00	0.00	0.00	#DIV/0!	4.54	4.71	0.17	3.7%	0.03	0.03	0.00	0.0%	4.57	4.74	0.17	3.7%	77785	TC
77785	26	Hdr brachytx 1 channel	1.42	1.42	0.00	0.0%	0.57	0.60	0.03	5.3%	0.07	0.06	-0.01	-14.3%	2.06	2.08	0.02	1.0%	77785	26
77786		Hdr brachytx 2-12 channel	3.25	3.25	0.00	0.0%	10.08	10.50	0.42	4.2%	0.20	0.20	0.00	0.0%	13.53	13.95	0.42	3.1%	77786	
77786	TC	Hdr brachytx 2-12 channel	0.00	0.00	0.00	#DIV/0!	8.77	9.12	0.35	4.0%	0.05	0.06	0.01	20.0%	8.82	9.18	0.36	4.1%	77786	TC
77786	26	Hdr brachytx 2-12 channel	3.25	3.25	0.00	0.0%	1.31	1.38	0.07	5.3%	0.15	0.14	-0.01	-6.7%	4.71	4.77	0.06	1.3%	77786	26
77787		Hdr brachytx over 12 chan	4.89	4.89	0.00	0.0%	16.33	17.05	0.72	4.4%	0.33	0.33	0.00	0.0%	21.55	22.27	0.72	3.3%	77787	
77787	TC	Hdr brachytx over 12 chan	0.00	0.00	0.00	#DIV/0!	14.37	14.98	0.61	4.2%	0.08	0.10	0.02	25.0%	14.45	15.08	0.63	4.4%	77787	TC
77787	26	Hdr brachytx over 12 chan	4.89	4.89	0.00	0.0%	1.96	2.07	0.11	5.6%	0.25	0.23	-0.02	-8.0%	7.10	7.19	0.09	1.3%	77787	26
77789		Apply surface radiation	1.14	1.14	0.00	0.0%	2.10	2.19	0.09	4.3%	0.06	0.06	0.00	0.0%	3.30	3.39	0.09	2.7%	77789	
77789	TC	Apply surface radiation	0.00	0.00	0.00	#DIV/0!	1.64	1.70	0.06	3.7%	0.01	0.01	0.00	0.0%	1.65	1.71	0.06	3.6%	77789	TC
77789	26	Apply surface radiation	1.14	1.14	0.00	0.0%	0.46	0.49	0.03	6.5%	0.05	0.05	0.00	0.0%	1.65	1.68	0.03	1.8%	77789	26
77790		Radiation handling	1.05	1.05	0.00	0.0%	1.58	1.64	0.06	3.8%	0.05	0.07	0.02	40.0%	2.68	2.76	0.08	3.0%	77790	
77790	TC	Radiation handling	0.00	0.00	0.00	#DIV/0!	1.17	1.21	0.04	3.4%	0.01	0.02	0.01	100.0%	1.18	1.23	0.05	4.2%	77790	TC
77790	26	Radiation handling	1.05	1.05	0.00	0.0%	0.41	0.43	0.02	4.9%	0.04	0.05	0.01	25.0%	1.50	1.53	0.03	2.0%	77790	26

CY 2014-2015 Change in Radonc RVU Components, Non-Facility Setting

77799		Radium/radioisotope therapy	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77799	
77799	TC	Radium/radioisotope therapy	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77799	TC
77799	26	Radium/radioisotope therapy	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	77799	26
79101		Nuclear rx iv admin	1.96	1.96	0.00	0.0%	2.02	2.02	0.00	0.0%	0.08	0.08	0.00	0.0%	4.06	4.06	0.00	0.0%	79101	
79101	TC	Nuclear rx iv admin	0.00	0.00	0.00	#DIV/0!	1.37	1.35	-0.02	-1.5%	0.01	0.01	0.00	0.0%	1.38	1.36	-0.02	-1.4%	79101	TC
79101	26	Nuclear rx iv admin	1.96	1.96	0.00	0.0%	0.65	0.67	0.02	3.1%	0.07	0.07	0.00	0.0%	2.68	2.70	0.02	0.7%	79101	26
79445		Nuclear rx intra-arterial	2.40	2.40	0.00	0.0%	0.73	0.76	0.03	4.1%	0.19	0.20	0.01	5.3%	3.32	3.36	0.04	1.2%	79445	
79445	TC	Nuclear rx intra-arterial	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	0.00	0.00	0.00	#DIV/0!	79445	TC
79445	26	Nuclear rx intra-arterial	2.40	2.40	0.00	0.0%	0.73	0.76	0.03	4.1%	0.19	0.20	0.01	5.3%	3.32	3.36	0.04	1.2%	79445	26

Note: Differences greater than 20% have been bolded above

Note: after 1st Q 2015, C.F. will decrease .06%, from \$35.8228 to \$35.7997; in addition, some level of SGR cut could be applied.

Note: the 2% sequestration withhold will continue through 2023

Sources: CMS-1612-P (2015); CMS-1600-FC (2014)

CY 2014-15 Non-Facility Radonc RVUs

Copyright SATRO© 2014-2015; all rights reserved

Spreadsheet created for SATRO© by Paul Williams